



COMMERCIAL KITCHEN CATERING & FOOD SERVICE EQUIPMENT



BS KITCHEN EQUIPMENTS

The Hospitality Industries

Spl. Manufacturer & Supplier of Commercial Kitchen, Bakery Equipments, Catering
& Food Service Equipments for Hotels Restaurants, Canteens, Hospitals.

INTRODUCTION

B S KITCHEN EQUIPMENTS Company is an India based company dealing in Kitchen Equipments, Bakery Equipments, Cold Storage & Refrigeration Equipments to customers in the Hospitality, Food & Beverage and Pharma Industries. B S Kitchen Equipments offers a complete range of commercial kitchen & refrigeration equipments. Here is a one-step solution for your all needs. We have carved a niche in the industry by offering a customized and value based solution through a wide range of hotel and commercial kitchen equipments that match the global standards in its quality, manufacturing technology and services.

We are a young team with lot of Creativity Innovation, who are always ready to accept the feedback of customers and trying every bit to give the satisfaction to our client. We are having highly expert team who can accommodate each & every make the planning of the kitchen according to area. Our high experienced team of Engineers work very closely with customers to provide optimum, high quality, cost effective solutions for their requirements.

Our work ethic is based on these principles: Customized solutions, good quality at competitive price and efficient & prompt after sales service which has made us achieve considerable success over a period of time. Our strength lies in adopting the latest technologies to enhance our product quality and services.


➤ **We don't follow the quality but we feel the quality.**

BAKERY EQUIPMENTS



COLD EQUIPMENTS



		
Single Deck Oven	Two Deck Oven with proofer Gas/ Electric	Three Deck Oven Gas/ Electric
		
Plantery Mixer (10/20/30/40/50/60)	Dough Mixer	Spiral Mixer (20/30/40/50/60)
		
Bread Slicer	Dough Sheeter	Proofer

		
Single Door Refrigerator	Double Door Refrigerator	Four Door Refrigerator
		
Two Door Showcase Chiller	Under counter Refrigerator	Single Door Showcase Chiller
		
Cold Room	Under Counter bain	Under Counter bain

HOT EQUIPMENTS



Four Burner with Oven



Cocktail Station with Speed Rail & Sink



Induction Chinese Range



Pasta Cooker With Cabinet



Lava Rock Grill With Cabinet



SS Tandoor



SS Hood



Twin Tank Deep Fat Fryer



Electric Hot Plate With Cabinet



Griddle Plate With Oven



Electric Ceramic Hot with Cabinet



Two Burner Range



Chinese Burner Range



Hot Top And French Top Range




Popcorn Machine Deluxe



Barb-be-que

BAR & BEVERAGE EQUIPMENTS

DISPLAY EQUIPMENTS



Wine Chiller



Beer Dispenser



Bar Mixer



Ice Crusher



Curved Glass Display Counter Deluxe



Square Glass Display Counter Deluxe



Ice Cream Display Counter



Two Door Bottle Chiller



Blender



Juice Dispenser



Salad Bar



Curved Glass Display Counter



Curved Cake Display Counter



Three Door Bottle Chiller




Tea & Coffee Vending Machine



Coffee Urn



Snacks Display Warmer



Rotating Display Counter



Pizza Display Warmer



Mini Bar Refrigerator



Glass Foster

DISHWASHING EQUIPMENTS



INDUSTRIAL
Kitchen EQUIPMENTS



Three Sink Unit



Dish Washing Unit



Table with Sink



Sink Bench Steel



Pre-Rinse Unit



Dislending Table
With Garbage Shute



SS Rack



Pot Rack



Sink with Garbage
Crusher



Tilting Type Rice Boiler



Dough Kneader Machine



Tilting Braising Pane



Hot Bain Marie
With Sneeze Guard



Bulk Cooking Range



Chapatti Making Machine



Chapatti Plate
With Puffer



Cold Stone Icecream Machine

PREP EQUIPMENTS



Vegetable Cutter



Stick Blender



SS Pulveriser



Potato Peeler



Tilting Wet Masala Grinder



GN Pan Trolley



Masala Trolley



Rock Dolly with Handle



Room Service Trolley



Table with Sink



Utility Cart



Dining Table with Foldable Stool



Ingredient Bin



SS Table with Back Splash



Potato Onion Bin



Pop up Toaster
4 /6 ATS



Convection Oven
YXD-1A



Pizza Oven
with stone / without stone



Conveyor Toaster
CT 100/200/300



Ice Crusher



Hot Dog Roller HD-05




Crepe Machine



Plate Warmer Double



Plate Warmer Single



Hot Dog Roller
HD-09



Chicken Rotisserie



Twin Tank Fat Fry Master



Pizza Deck Oven Double
Tray Size (600x400)



Pizza Conveyor
Semi Automatic



Cone Baker



Stone Base Pizza Oven



Pizza Conveyor
Fully Automatic



Vegetable Cutter



Meat Slicer



Meat Mincer
8/12/22



Round Plate
Warmer



Sandwich Griller
GH 811



Table Top Double
Fat Fryer EF-4/6/8TE



Waffle Maker Single
UWB01




Sandwich Griller Double



Table Top Single
Fat Fryer EF-4/6/8SE



Waffle Maker Double
UWB02



Shwarma Gas Machine
2/3/4 Burner



Auto Lifted Salamander
EB 600




Shwarma Ele. Machine



Soup Kettle



Touch and Go



Two Speed



Variable Speed



Think espresso.



Coffee Machine Two Group



Coffee Machine Two Group



Expobar Coffee Machine Single Group

Expobar Coffee Machine Single Group with Grinder



Expobar Coffee Machine Double Group

Expobar Coffee Machine Double Group with Grinder



Combi Oven



Combi Oven



Citrus Juicer



Multi Juicer



Vegetable Cutter CL 50/50E Ultra



Under counter Glass Washer Ecomax G404-10B



Under counter Dish Washer Ecomax F504-10B



Hood Type Dish Washer Ecomax 602-31



Rio 250



908



Ugolini Juice Dispenser 8/2 Compact



Ugolini Juice Dispenser 12/3 Deluxe



Ugolini Slush machine



Chocolate Hot Delice



2L Jar

TM - 767




1.5L Jar

TM - 788A



1.5L Jar

TM - 800A



1.5L Jar

TM - 800AQ



Lamp



Meat Mincer



Meat Slicer



Bowl Cutter



Vegetable Cutter



Bone Saw Machine



Auto Lifted Salamander



Stick Blender



Citrus Juicer



Drink Mixer



Sandwich Griller Double



Stone Pizza Oven



Bowl Cutter



Vegetable Slicer



Vegetable Cutter Mixer



Blixer Blender Mixer



Power Mixer



Centrifugal Juicer



Vegetable Cutter Mixer




Potato Ricer Machine



Ice Cube Machine (Round)



Ice Cube Machine (Square)



Deep Fryer Two Compartment with Oven



Deep Fryer Single Compartment with Oven



Deep Fryer with Oven




Ice Cube Machine



Ice Cube Machine



Glass Washer



Dish Washer

TABLES



Dishlanding Table



Dosa Plate



Masala Trolley



Table with Two underself



Single N



Exhaust Hood



- Specification**
- Capacity: 4 Tray's 460 x 330
 - Distance : 75 mm
 - Frequency : 50 / 60 Hz
 - Dimensions (mm) : 600W x 587D x 472H
 - Voltage : 230 V ~ 1N
 - Electrical power : 2.4KW (15 amp – 1 ph)
 - Weight (kg) : 22 kg
 - Convection baking 30c to 260c
 - Mixed humidity and convection baking 90c to 260c
 - Made in Italy

Unox Oven XFO23



DOMENICA (Manual) XF043
ELECTRIC

capacity	4 600x400
distance	70 mm
frequency	50 / 60 Hz
Voltage	230 V~ 1N / 400 V~ 3N
power	3.2 kW / 5.3 kW
Dimensions	800x472x706 mm
weight	44 kg



- Specification**
- Capacity: 4 Tray's 460 x 330
 - Distance : 75 mm
 - Frequency : 50 / 60 Hz
 - Dimensions (mm) : 600W x 655D x 509H
 - Voltage : 230 V ~ 1N
 - Electrical power : 3KW (15 amp – 1 ph)
 - Weight (kg) : 31
 - Convection baking 30c to 260c
 - Mixed humidity and convection baking 90c to 260c
 - Made in Italy

Unox Oven XFT 133



- Specification**
- Model: XFT 193**
- Capacity: 4 Tray's 600x400
 - Distance : 75 mm
 - Frequency: 50/60 Hz
 - Dimension (mm): 800 W x 770 D x 509 H
 - Voltage: 230 V~1N
 - Electric Power: 6.5 KW (5 amp~1 ph)
 - Weight (kg): 49
 - Convection Baking 30c to 260c
 - Mixed humidity and convection baking 90c to 260c
 - Made in Italy

Unox Oven XFT 193



Capacity	4 600x400
Pitch	75 mm
Frequency	50 / 60 Hz
Voltage	230 V~ 1N / 400 V ~ 3N
Electrical power	6.5 kW
Dimensions	800x770x509 mm
Weight	49 kg

Unox Oven XFT 195



Electric	
Model	XFT113
Commercial name	STEFANIA MANUAL HUMIDITY
Power supply	Electric
Type of control	MANUAL
Price	---
Number of trays	3 trays
Tray size	460x330
Pitch	75 mm
Frequency	50 / 60 Hz
Voltage	230V 1N~
Weight	25 kg
Electric power	3 kw
Nominal gas power mi	
Width	600 mm
Depth	655 mm
Height	429 mm

Unox Oven XFT 113



REFRIGERATOR



Model	HRW-77MS4
Volume	593 L
Dimensions (H-with 150mm leg)	700(W) x 810(D) x 2050(H)
Power Supply	230V AC / 50Hz
Temperature Control	-2°C to 12°C
Door / Shelf	2 Doors / 4 Pcs



Model	HRW-147MS4
Volume	1288 L
Dimensions (H-with 150mm leg)	1400(W) x 810(D) x 2050(H)
Power Supply	230V AC / 50Hz
Temperature Control	-2°C to 12°C
Door / Shelf	4 Doors / 8 Pcs



Model	HRW-77MS4-HG
Volume	593 L
Dimensions (H-with 150mm leg)	700(W) x 810(D) x 2050(H)
Power Supply	230V AC / 50Hz
Temperature Control	-2°C to 12°C
Door / Shelf	2 Doors / 4 Pcs

FREEZER



Model	HFW-127MS4
Volume	1042 L
Dimensions (H-with 150mm leg)	1200(W) x 810(D) x 2050(H)
Power Supply	230V AC / 50Hz
Temperature Control	-23°C to -7°C
Door / Shelf	4 Doors / 8 Pcs



Model	HFW-147MS4
Volume	1288 L
Dimensions (H-with 150mm leg)	1400(W) x 810(D) x 2050(H)
Power Supply	230V AC / 50Hz
Temperature Control	-23°C to -7°C
Door / Shelf	4 Doors / 8 Pcs



Model	HRFW-77MS4
Volume	Freezer -277 L Chiller -286 L
Dimensions (H-with 150mm leg)	700(W) x 810(D) x 2050(H)
Power Supply	230V AC / 50Hz
Temperature Control	Freezer -16°C to -23°C Chiller -2°C to 12°C
Door / Shelf	2 Doors / 4 Pcs

Under Counter



	REFRIGERATOR	FREEZER
Model	RTW-127MS4 - GN	FTW-127MS4 - GN
Volume	252 L	252 L
Dimensions (H-with 150mm leg)	1200(W) x 700(D) x 850(H)	1200(W) x 700(D) x 850(H)
Temperature Control	-2°C to 12°C	-7°C to -23°C
Door / Shelf	2 Doors / 4 Pcs	2 Doors / 4 Pcs



REFRIGERATOR

FREEZER



Model	RTW-150MS4	FTW-150MS4
Volume	404 L	404 L
Dimensions (H-with 150mm leg)	1500(W) x 750(D) x 850(H)	1500(W) x 750(D) x 850(H)
Temperature Control	-2°C to 12°C	-7°C to -23°C
Door / Shelf	2 Doors / 4 Pcs	2 Doors / 4 Pcs



Model	RTW-177MS4 - GN	FTW-177MS4 - GN
Volume	404 L	404 L
Dimensions (H-with 150mm leg)	1660(W) x 700(D) x 850(H)	1660(W) x 700(D) x 850(H)
Temperature Control	-2°C to 12°C	-7°C to -23°C
Door / Shelf	3 Doors / 6 Pcs	3 Doors / 6 Pcs



Model	RTW-180MS4	FTW-180MS4
Volume	511 L	511 L
Dimensions (H-with 150mm leg)	1800(W) x 750(D) x 850(H)	1800(W) x 750(D) x 850(H)
Temperature Control	-2°C to 12°C	-7°C to -23°C
Door / Shelf	3 Doors / 6 Pcs	3 Doors / 6 Pcs



Model	RTW-186MS4	FTW-186MS4
Volume	385 L	385 L
Dimensions (H-with 150mm leg)	1800(W) x 600(D) x 850(H)	1800(W) x 600(D) x 850(H)
Temperature Control	-2°C to 12°C	-7°C to -23°C
Door / Shelf	3 Doors / 6 Pcs	3 Doors / 6 Pcs

winterhalter®



Under Counter Dish Washer/
Glass Washer



Hood Type Dishwasher

MENUMASTER® / General



Heavy Duty Microwave



Hard Top / Chest Freezer

NWHD225H

EXTERNAL DIMENSIONS: 760 (W) x 695 (D) x 840 (H)
INTERNAL DIMENSIONS: 685 (W) x 590 (D) x 807 (H)
GROSS VOLUME: 252 Liters
NET VOLUME: 211 Liters
No. of Basket: 1 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 0.52 sq. m
CONTAINER LOAD 20% / 40%
20 nos. / 84 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Convertible Unit
Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

NWHD325H

EXTERNAL DIMENSIONS: 960 (W) x 695 (D) x 840 (H)
INTERNAL DIMENSIONS: 885 (W) x 590 (D) x 807 (H)
GROSS VOLUME: 343 Liters
NET VOLUME: 311 Liters
No. of Basket: 2 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 0.75 sq. m
CONTAINER LOAD 20% / 40%
30 nos. / 64 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Convertible Unit
Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

NWHF425H

EXTERNAL DIMENSIONS: 1260 (W) x 695 (D) x 840 (H)
INTERNAL DIMENSIONS: 1185 (W) x 590 (D) x 807 (H)
GROSS VOLUME: 454 Liters
NET VOLUME: 412 Liters
No. of Basket: 3 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 0.94 sq. m
CONTAINER LOAD 20% / 40%
36 nos. / 78 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Hard Top
Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

NWHF525H

EXTERNAL DIMENSIONS: 1460 (W) x 695 (D) x 840 (H)
INTERNAL DIMENSIONS: 1385 (W) x 590 (D) x 807 (H)
GROSS VOLUME: 545 Liters
NET VOLUME: 493 Liters
No. of Basket: 4 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 1.31 sq. m
CONTAINER LOAD 20% / 40%
40 nos. / 80 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Hard Top
Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

EWHD580H

EXTERNAL DIMENSIONS: 1660 (W) x 695 (D) x 840 (H)
INTERNAL DIMENSIONS: 1585 (W) x 590 (D) x 807 (H)
GROSS VOLUME: 636 Liters
NET VOLUME: 584 Liters
No. of Basket: 5 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 1.51 sq. m
CONTAINER LOAD 20% / 40%
40 nos. / 80 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Convertible Unit
Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

NWHF825H

EXTERNAL DIMENSIONS: 1860 (W) x 695 (D) x 840 (H)
INTERNAL DIMENSIONS: 1785 (W) x 590 (D) x 807 (H)
GROSS VOLUME: 783 Liters
NET VOLUME: 726 Liters
No. of Basket: 6 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 1.51 sq. m
CONTAINER LOAD 20% / 40%
40 nos. / 80 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Hard Top
Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

Glass Top Freezer

NWHF225G

EXTERNAL DIMENSIONS: 760 (W) x 695 (D) x 735 (H)
INTERNAL DIMENSIONS: 630 (W) x 530 (D) x 677 (H)
GROSS VOLUME: 226 Liters
NET VOLUME: 211 Liters
No. of Basket: 01 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 0.52 sq. m
CONTAINER LOAD 20% / 40%
40 nos. / 84 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Glass Top | Low E Coating on Glass
Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

NWHF325G

EXTERNAL DIMENSIONS: 960 (W) x 695 (D) x 735 (H)
INTERNAL DIMENSIONS: 830 (W) x 530 (D) x 677 (H)
GROSS VOLUME: 317 Liters
NET VOLUME: 311 Liters
No. of Basket: 01 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 0.75 sq. m
CONTAINER LOAD 20% / 40%
30 nos. / 64 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Glass Top | Low E Coating on Glass
Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

NWHF550G

EXTERNAL DIMENSIONS: 1260 (W) x 695 (D) x 735 (H)
INTERNAL DIMENSIONS: 1130 (W) x 530 (D) x 677 (H)
GROSS VOLUME: 468 Liters
NET VOLUME: 393 Liters
No. of Basket: 01 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 1.07 sq. m
CONTAINER LOAD 20% / 40%
30 nos. / 64 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Glass Top | Low E Coating on Glass
Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

NWHF550G

EXTERNAL DIMENSIONS: 1260 (W) x 695 (D) x 735 (H)
INTERNAL DIMENSIONS: 1130 (W) x 530 (D) x 677 (H)
GROSS VOLUME: 468 Liters
NET VOLUME: 412 Liters
No. of Basket: 01 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 1.07 sq. m
CONTAINER LOAD 20% / 40%
30 nos. / 64 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Glass Top | Low E Coating on Glass
Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

NWHF825G

EXTERNAL DIMENSIONS: 1660 (W) x 695 (D) x 735 (H)
INTERNAL DIMENSIONS: 1530 (W) x 530 (D) x 677 (H)
GROSS VOLUME: 768 Liters
NET VOLUME: 726 Liters
No. of Basket: 01 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 1.51 sq. m
CONTAINER LOAD 20% / 40%
30 nos. / 64 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Glass Top | Low E Coating on Glass
Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

Scooping Parlour

NWHS425G

EXTERNAL DIMENSIONS: 1300 (W) x 695 (D) x 1105 (H)
INTERNAL DIMENSIONS: 1220 (W) x 590 (D) x 1077 (H)
GROSS VOLUME: 441 Liters
NET VOLUME: 412 Liters
No. of Basket: 01 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 0.93 sq. m
CONTAINER LOAD 20% / 40%
36 nos. / 78 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Scooping Parlour | Low E Coating on Glass | Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

NWHS550G

EXTERNAL DIMENSIONS: 1600 (W) x 695 (D) x 1225 (H)
INTERNAL DIMENSIONS: 1520 (W) x 590 (D) x 1197 (H)
GROSS VOLUME: 583 Liters
NET VOLUME: 554 Liters
No. of Basket: 01 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 1.07 sq. m
CONTAINER LOAD 20% / 40%
36 nos. / 78 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Scooping Parlour | Low E Coating on Glass | Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant

NWHS825G

EXTERNAL DIMENSIONS: 1800 (W) x 695 (D) x 1225 (H)
INTERNAL DIMENSIONS: 1720 (W) x 590 (D) x 1197 (H)
GROSS VOLUME: 768 Liters
NET VOLUME: 726 Liters
No. of Basket: 01 no.
INSULATION: 80 MM POLYURETHANE
FOOTPRINT AREA: 1.51 sq. m
CONTAINER LOAD 20% / 40%
36 nos. / 78 nos.
TEMPERATURE RANGE: -17°C to -22°C
Refrigeration application: -17°C to -22°C
Cooler application: 0 to 10°C

High Ambient - Scooping Parlour | Low E Coating on Glass | Improved Energy Efficiency | Quiet Compressor
Lock And Key arrangement | Safety Compliant



Visicooler

SRC200-GL

Gross Volume: 167 Liters
External Dimensions: 514 (W) x 549 (D) x 1265 (H)
Internal Dimension: 434 (W) x 454 (D) x 850 (H)
Capacity/ Facing: 330ml Cans: 166 nos.; 6
500ml Pet: 83 nos.; 6
Shelf: 3 nos.
Container Loading: 20' FCL: 27 units
40' FCL: 60 units

Features
*Wider Display
*Improved Energy Efficiency
*Maintenance Free Condenser
*LED Lighting

HIGH AMBIENT | SAFETY COMPLIANT | IP24

SRC280-GL

Gross Volume: 216 Liters
External Dimensions: 514 (W) x 549 (D) x 1515 (H)
Internal Dimension: 434 (W) x 454 (D) x 1100 (H)
Capacity/ Facing: 330ml Cans: 232 nos.; 6
500ml Pet: 116 nos.; 6
Shelf: 4 nos.
Container Loading: 20' FCL: 27 units
40' FCL: 60 units

Features
*Wider Display
*Improved Energy Efficiency
*Maintenance Free Condenser
*LED Lighting

HIGH AMBIENT | SAFETY COMPLIANT | IP24

SRC380-GL

Gross Volume: 340 Liters
External Dimensions: 573 (W) x 655 (D) x 1740 (H)
Internal Dimension: 493 (W) x 520 (D) x 1330 (H)
Capacity/ Facing: 330ml Cans: 434 nos.; 7
500ml Pet: 224 nos.; 7
Shelf: 5 nos.
Container Loading: 20' FCL: 27 units
40' FCL: 57 units

Features
*Wider Display
*Improved Energy Efficiency
*Maintenance Free Condenser
*LED Lighting

HIGH AMBIENT | SAFETY COMPLIANT | IP24

SRC500-GL

Gross Volume: 453 Liters
External Dimensions: 583 (W) x 695 (D) x 2060 (H)
Internal Dimension: 503 (W) x 552 (D) x 1634 (H)
Capacity/ Facing: 330ml Cans: 588 nos.; 7
500ml Pet: 301 nos.; 7
Shelf: 6 nos.
Container Loading: 20' FCL: 27 units
40' FCL: 54 units

Features
*Wider Display
*Improved Energy Efficiency
*Maintenance Free Condenser
*LED Lighting

HIGH AMBIENT | SAFETY COMPLIANT | IP24

SRC220-GL

Gross Volume: 209 Liters
External Dimensions: 500 (W) x 655 (D) x 1447 (H)
Internal Dimension: 420 (W) x 506 (D) x 1042 (H)
Capacity/ Facing: 330ml Cans: 240 nos.; 6
500ml Pet: 126 nos.; 6
Shelf: 3 nos.
Container Loading: 20' FCL: 32 units
40' FCL: 72 units

Features
*Tropicalized Operation | *Improved Energy Efficiency
*Maintenance Free Condenser | Integrated Door Handle
*LED Lighting | *Temperature Indicator(Optional)

HIGH AMBIENT | SAFETY COMPLIANT | IP24

SRC350-GL

Gross Volume: 370 Liters
External Dimensions: 583 (W) x 710 (D) x 1800 (H)
Internal Dimension: 503 (W) x 552 (D) x 1384 (H)
Capacity/ Facing: 330ml Cans: 416 nos.; 7
500ml Pet: 224 nos.; 7
Shelf: 4 nos.
Container Loading: 20' FCL: 27 units
40' FCL: 54 units

Features
*Tropicalized Operation | *Improved Energy Efficiency
*Maintenance Free Condenser | Integrated Door Handle
*LED Lighting | *Temperature Indicator(Optional)

HIGH AMBIENT | SAFETY COMPLIANT | IP24

SRC450-GL

Gross Volume: 448 Liters
External Dimensions: 583 (W) x 710 (D) x 2050 (H)
Internal Dimension: 503 (W) x 552 (D) x 1634 (H)
Capacity/ Facing: 330ml Cans: 520 nos.; 7
500ml Pet: 260 nos.; 7
Shelf: 5 nos.
Container Loading: 20' FCL: 27 units
40' FCL: 54 units

Features
*Tropicalized Operation | *Improved Energy Efficiency
*Maintenance Free Condenser | Integrated Door Handle
*LED Lighting | *Temperature Indicator(Optional)

HIGH AMBIENT | SAFETY COMPLIANT | IP24

SRC700-GL

Gross Volume: 570 Liters
External Dimensions: 720 (W) x 710 (D) x 2053 (H)
Internal Dimension: 640 (W) x 540 (D) x 1635 (H)
Capacity/ Facing: 330ml Cans: 630 nos.; 9
500ml Pet: 315 nos.; 9
Shelf: 5 nos.
Container Loading: 20' FCL: 21 units
40' FCL: 45 units

Features
*Tropicalized Operation | *Improved Energy Efficiency
*Maintenance Free Condenser | Integrated Door Handle
*LED Lighting | *Temperature Indicator(Optional)

HIGH AMBIENT | SAFETY COMPLIANT | IP24

SRC800-GL

Gross Volume: 720 Liters
External Dimensions: 1025 (W) x 647 (D) x 2102 (H)
Internal Dimension: 985 (W) x 492 (D) x 1597 (H)
Capacity/ Facing: 330ml Cans: 940 nos.; 14
500ml Pet: 420 nos.; 14
Shelf: 10 nos.
Container Loading: 20' FCL: 16 units
40' FCL: 33 units

Features
*Tropicalized Operation | *Improved Energy Efficiency
*Maintenance Free Condenser | Integrated Door Handle
*LED Lighting | *Temperature Indicator(Optional)

HIGH AMBIENT | SAFETY COMPLIANT | IP24

SRC1005-GL

Gross Volume: 910 Liters
External Dimensions: 1025 (W) x 767 (D) x 2102 (H)
Internal Dimension: 945 (W) x 622 (D) x 1597 (H)
Capacity/ Facing: 330ml Cans: 1040 nos.; 7-7
500ml Pet: 520 nos.; 7-7
Shelf: 5 + 5 nos.
Container Loading: 20' FCL: 13 units
40' FCL: 28 units

Features
*Tropicalized Operation | *Improved Energy Efficiency
*Maintenance Free Condenser | Integrated Door Handle
*LED Lighting | *Temperature Indicator(Optional)

SRC1000SD-GL

Gross Volume: 925 Liters
External Dimensions: 1132 (W) x 775 (D) x 2153 (H)
Internal Dimension: 1052 (W) x 599.5 (D) x 1659 (H)
Capacity/ Facing: 330ml Cans: 980 nos.; 7-7
500ml Pet: 490 nos.; 7-7
Shelf: 5 + 5 nos.
Container Loading: 20' FCL: 13 units
40' FCL: 28 units


Features
*Tropicalized Operation | *Improved Energy Efficiency
*Maintenance Free Condenser | Sliding Door
*LED Lighting | *Temperature Indicator(Optional)

SRC1800-GL

Gross Volume: 1900 Liters
External Dimensions: 1800 (W) x 850 (D) x 2201 (H)
Internal Dimension: 1700 (W) x 678 (D) x 1680 (H)
Capacity/ Facing: 330ml Cans: 2040 nos.; 8+8+8
500ml Pet: 1020 nos.; 8+8+8
Shelf: 5 + 5 + 5 nos.
Container Loading: 20' FCL: 6 units
40' FCL: 14 units

Features
*Tropicalized Operation | *Improved Energy Efficiency
*Maintenance Free Condenser | Integrated Door Handle
*LED Lighting | *Temperature Indicator(Optional)

BS BRANDS



KITCHEN EQUIPMENTS



BS KITCHEN EQUIPMENTS

Phone No: +91 98716 75221, +91 8800 608 245

Website: www.bskitchenequipment.in

Email Id: bskitchenequipment@gmail.com

Address: Plot No – 42/22/1, Ground Floor Village Mundka, New Frnds Enclave,
Near Gali No – 14, Mundka, New Delhi – 110041